

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3	@ad< "20040405" and (provision\$4 with condition\$3) and (reverse same (lookup or (look adj up)) same ip same dns)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/09 12:17
L3	1	(kevin near2 taylor).in. and (woundy near2 richard).in. and conditional	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/09 12:30
S1	1304	@ad< "20040405" and 725/25-31.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/11 13:06
S2	6	@ad< "20040405" and 725/25-31.ccls. and (provision\$3 near2 (server or database or db or (data adj base) or datastore or data adj store))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/11 13:07
S3	18	@ad< "20040405" and "725"/\$.ccls. and ((provision\$3 near2 (server or database or db or (data adj base) or datastore or data adj store)) with (order or request))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/11 13:33
S4	0	@ad< "20040405" and "725"/\$.ccls. and ((provision\$3 near2 (server or database or db or (data adj base) or datastore or data adj store)) with (order or request) with reciev\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/11 13:33

S5	6	@ad<"20040405" and "725"/\$.ccls. and ((provision\$3 near2 (server or database or db or (data adj base) or datastore or data adj store)) with (order\$4 or request\$3) with receiv\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/11 13:34
S6	1	@ad<"20040405" and "725"/\$.ccls. and ((provision\$3 near2 (server or database or db or (data adj base) or datastore or data adj store)) with (order\$4 or request\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/11 13:38
S7	20	@ad<"20040405" and "725"/86-104.ccls. and ((provision\$3 near2 (server or database or db or (data adj base) or datastore or data adj store)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/11 13:38
S8	5	@ad<"20040405" and "725"/86-104.ccls. and ((provision\$3 near2 (server or database or db or (data adj base) or datastore or data adj store)) with (user or subscriber))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/11 13:39
S9	0	@ad<"20040405" and 725/25-31.ccls. and ((store or storing or stored) with certificat\$4 with (provision\$3 adj (server or database or db or datastore or data)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/12 10:14
S10	0	@ad<"20040405" and 725/25-31.ccls. and (certificat\$4 with (provision\$3 adj (server or database or db or datastore or data)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/12 10:15

S11	0	@ad<"20040405" and 725/25-31.ccls. and (certificat\$4 with (provision\$3 near2 (server or database or db or datastore or data)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/12 10:15
S12	0	@ad<"20040405" and "725"/\$.ccls. and ((store or storing or stored) with certificat\$4 with (provision\$3 near2 (server or database or db or datastore or data)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/12 10:17
S13	0	@ad<"20040405" and "725"/\$.ccls. and ((store or storing or stored) with certificat\$3 with (provision\$3 near2 (server or database or db or datastore or data)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/12 10:17
S14	0	@ad<"20040405" and "725"/\$.ccls. and (certificat\$3 with (provision\$3 near2 (server or database or db or datastore or data)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/12 10:18
S15	7	@ad<"20040405" and ((store or storing or stored) with certificat\$3 with (provision\$3 near2 (server or database or db or datastore or data)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/12 10:18
S16	7	@ad<"20040405" and ((store or storing or stored) with certificat\$3 with (provision\$3 adj (server or database or db or datastore or data)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/12 10:18
S17	39	@ad<"20040405" and 725/25-31.ccls. and (xml)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/12 10:23

S18	0	@ad<"20040405" and 725/25-31.ccls. and (xml with certificat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/12 10:23
S19	4	@ad<"20040405" and 725/25-31.ccls. and (xml near3 (order or request))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/12 10:24
S20	39	@ad<"20040405" and 725/25-31.ccls. and (xml)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/12 10:34
S21	9	@ad<"20040405" and 725/25-31.ccls. and (xml near2 format\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/12 10:34
S22	5	@ad<"20040405" and 725/25-31.ccls. and (xml near2 (communication or message))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/12 10:37
S23	0	@ad<"20040405" and 725/25-31.ccls. and (xml with (stt or stb or mac or (set adj top)) with profile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/12 11:21
S24	4	@ad<"20040405" and 725/25-31.ccls. and (xml with (stt or stb or mac or (set adj top)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/12 11:21
S25	1	@ad<"20040405" and 725/25-31.ccls. and (xml with profile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/12 11:23

S26	0	@ad<"20040405" and 725/25-31.ccls. and (billing with (notify\$3 or notification) with (conditional))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/12 11:23
S27	0	@ad<"20040405" and 725/25-31.ccls. and (billing with (notify\$3 or notification) with (provision\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/12 11:24
S28	1	@ad<"20040405" and 725/25-31.ccls. and (billing with (messag\$3) with (conditional))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/12 11:24
S29	0	@ad<"20040405" and 725/25-31.ccls. and ((stb or stt or (set adj top) or terminal) with (geographic\$3) with (setup or configur\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/12 11:26
S30	3	@ad<"20040405" and 725/25-31.ccls. and ((stb or stt or (set adj top) or terminal) with (geographic\$3 or location) with (setup or configur\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/12 11:27
S31	42	@ad<"20040405" and 725/25-31.ccls. and ((stb or stt or (set adj top)) with (geographic\$3 or location))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/12 11:27
S32	34	@ad<"20040405" and 725/25-31.ccls. and ((stb or stt or (set adj top)) with (geographic\$3 or location) with (set or setting))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/12 11:28
S33	0	@ad<"20040405" and 725/25-31.ccls. and ((stb or stt or (set adj top)) with (geographic\$3 or location) with (set or setting) with messag\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/12 11:28

S34	34	@ad<"20040405" and 725/25-31.ccls. and ((stb or stt or (set adj top)) with (geographic\$3 or location) with (set or setting))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/12 11:28
S35	4	@ad<"20040405" and "725"/\$.ccls. and ((stb or stt or (set adj top)) with (geographic\$3 or location) with (setup or configur\$5) with messag\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/12 11:32
S36	0	@ad<"20040405" and "725"/\$.ccls. and ((stb or stt or (set adj top)) with geographic\$3 with location with (setup or configur\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/12 11:33
S37	24	@ad<"20040405" and "725"/\$.ccls. and ((stb or stt or (set adj top)) with (geographic\$3 or location) with (setup or configur\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/12 11:33
S38	0	@ad<"20040405" and 725/25-31.ccls. and (enabl\$3 with multiple with lineup)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/12 11:39
S39	6	@ad<"20040405" and 725/25-31.ccls. and (enabl\$3 with multiple with channel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/12 11:39
S40	0	@ad<"20040405" and 725/25-31.ccls. and (enabl\$3 with lineups!)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/12 11:40
S41	0	@ad<"20040405" and 725/25-31.ccls. and (enabl\$3 with lineups?)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/12 11:40

S42	0	@ad<"20040405" and 725/25-31.ccls. and (lineups?)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/12 11:40
S43	5	@ad<"20040405" and 725/25-31.ccls. and (lineups!)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/12 11:40
S44	0	@ad<"20040405" and 725/25-31.ccls. and ((bi adj directional) with unicast\$3) and ((uni adj directional) with multicast \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/12 11:45
S45	0	@ad<"20040405" and 725/25-31.ccls. and ((bi adj directional) with unicast\$3) and ((one adj way) with multicast\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/12 11:46
S46	0	@ad<"20040405" and 725/25-31.ccls. and ((bi adj directional) with unicast\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/12 11:46
S47	0	@ad<"20040405" and 725/25-31.ccls. and (bi with unicast\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/12 11:46
S48	0	@ad<"20040405" and 725/25-31.ccls. and (bi with (uni adj cast\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/12 11:46
S49	0	@ad<"20040405" and "725"/\$.ccls. and ((bi adj directional) with unicast \$3) and ((uni adj directional) with multicast \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/12 11:46

S50	0	@ad<"20040405" and "725"/\$.ccls. and ((bi adj directional) with unicast \$3) and (((uni adj directional) or (one adj way)) with multicast\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/12 11:47
S51	0	@ad<"20040405" and "725"/\$.ccls. and ((bi adj directional) with unicast \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/12 11:47
S52	11	@ad<"20040405" and "725"/\$.ccls. and (((uni adj directional) or (one adj way)) with multicast \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/12 11:47
S53	1	@ad<"20040405" and 725/25-31.ccls. and (unicast\$3 with messag \$3 with multicast\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/12 11:47
S54	0	@ad<"20040405" and 725/25-31.ccls. and (boot with time with request)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/12 11:49
S55	0	@ad<"20040405" and 725/25-31.ccls. and (boot with time with request\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/12 11:49
S56	0	@ad<"20040405" and 725/25-31.ccls. and (boot adj time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/12 11:49
S57	1	@ad<"20040405" and 725/25-31.ccls. and (boot adj time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/12 11:49

S58	16	@ad<"20040405" and 725/25-31.ccls. and (independent\$5 with (conditional adj access))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/10 11:22
S59	31	@ad<"20040405" and 725/25-31.ccls. and (without with (conditional adj access))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/10 11:29
S60	23	S59 not S58	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/10 11:29
S61	4	@ad<"20040405" and 725/25-31.ccls. and (bypass\$3 with (conditional adj access))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/10 11:53
S62	4	@ad<"20040405" and "725"/\$.ccls. and (bypass \$3 near3 (conditional adj access))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/10 11:57
S63	3	S62 not S61	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/10 11:57
S64	1	@ad<"20040405" and "725"/\$.ccls. and (bypass \$3 with (server or headend or (head adj end)) with (conditional adj access))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/10 12:03
S65	2	@ad<"20040405" and television and (bypass\$3 with (server or headend or (head adj end)) with (conditional adj access))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/10 12:04

S66	2	@ad< "20040405" and (bypass\$3 with (server or headend or (head adj end)) with (conditional adj access))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/10 12:05
S67	17	@ad< "20040405" and (bypass\$3 near3 (conditional adj access))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/10 12:05
S68	3	@ad< "20040405" and ((bypass\$3 or independent\$5 or without) with authoriz\$3 with (conditional adj access))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/10 12:12
S69	0	@ad< "20040405" and ((bypass\$3) with (authoriz\$3 or allow\$3) with (conditional near2 access))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/10 12:14
S70	0	@ad< "20040405" and 725/25-31.ccls. and (certificat\$4 with (provision\$3 adj (server or database or db or datastore or data)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/23 14:49
S71	0	"20070209052".pn. and (method with (unit or logic or module or software or program or wave or signal))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/11 19:13
S72	1	"20070209052".pn. and (method same (unit or logic or module or software or program or wave or signal))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/11 19:13

2/9/2010 12:34:44 PM

C:\Documents and Settings\jshepard\My Documents\EAST\Workspaces
\manning_10599498.wsp